

Clarke®

Edgers Super 7R and B-2+



www.americansanders.com


Clarke®
American Sanders®

Because Pride Still Matters.

Super 7R Edger



Rotating dust pipe allows the dust bag or hose connection to move freely out of the way during operation. The Super 7R pipe rotates 210° and the B-2+ pipe rotates 260°.




Exclusive quick release bag uses an interior rib to secure itself to the dust tube. No strings needed. Patent pending.




The channel feature in the dust tube securely locks the dust bag in place, yet allows it to be removed with a simple twist and pull.

B-2+ Edger



Edgers Super 7R and B-2+

Clarke® American Sanders



Key Features

- Polished aluminum alloy housing
- Precision balanced sanding pads
- Quick-release dust bag
- Vacuum-ready dust pipes
- Carrying case included



SPECIFICATIONS

	Super 7R	B-2+
Part Number	07125A (115V) or 07126A (230V)	07127A (115V) or 07128A (230V)
Electrical Motor	1 HP Universal, 4 pole	1 HP Universal, 2 pole
Disc Size	7" (17.8 cm)	7" (17.8 cm)
Disc Speed	2800	2800 (low) 3200 (high)
Cable	50' (15.2 m) grey rubber	50 ft. (7.62 m) grey rubber
Size (L x W x H)	16" x 11" x 12 3/8" (38 x 28 x 21 cm)	16" x 10" x 13 3/4" (38 x 25 x 35 cm)
Machine Weight	30 lbs. (14 kg)	33 lbs. (15 kg)
Shipping Weight	46 lbs. (21 kg)	46 lbs. (21 kg)

Ask your Distributor about other **Clarke® American Sander** products



FloorCrafter Belt Sander



Super E Edger



3DS Orbital Sander

Clarke®

2100 Highway 265
Springdale, AR 72764
www.americansanders.com

DISTRIBUTED BY:

Customer Relations: 1.800.253.0367
Fax Orders to: 1.800.825.2753
Technical Service: 1.800.356.7274