

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product name G65631

MSDS name **ULTIMATE URETHN REMOVE 12QT/CS**

CAS number Mixture Bostik, Inc. Manufacturer

211 Boston Street

Middleton, MA 01949 USA 24 hour emergency assistance Telephone: 1-800-227-0332 Telephone: 1-978-777-0100 General assistance MSDS assistance Telephone: 1-414-607-1347

2. COMPOSITION / INFORMATION ON INGREDIENTS

CAS# Component(s) Percent **D-Limonene** 5989-27-5 10 - 30

3. HAZARDS IDENTIFICATION

Emergency overview Extended contact with this material may cause irritation to the skin, eyes, and mucous

membranes. Primary Routes of Exposure: eyes, skin, and inhalation.

Potential health effects

Skin Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

Eves May cause irritation with temporary redness with stinging and tearing.

Inhalation: Inhalation of mist and/or vapor may cause respiratory irritation, dizziness, nausea, Inhalation

or headache.

This product can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Ingestion

Target organs None known for product as a whole.

4. FIRST AID MEASURES

First aid

Skin Remove contaminated clothing to prevent further skin exposure and dispose of properly. In

> situations involving considerable skin contact, place the contaminated person in a deluge shower for at least 15 minutes. Seek medical attention immediately. For minor exposures, wash thoroughly with soap and clean water. Do not attempt to neutralize with chemical

agents. Once thoroughly washed, seek medical attention immediately.

Immediately flush with plenty of water for at least 15 minutes, holding eyelids open at all times. Eye

Do not attempt to neutralize with chemical agents. Get medical attention immediately.

Inhalation Remove to fresh air. Get medical attention if symptoms develop. If not breathing, give CPR. No harmful effect is anticipated. If ingested, get immediate medical attention. Do not induce Ingestion

vomiting unless instructed to do so by medical personnel. Never give anything by mouth to a

victim who is unconscious or is having convulsions.

Notes to physician

5. FIRE FIGHTING MEASURES

Hazardous combustion

products

Decomposition can produce hazardous chemicals. Carbon monoxide, carbon dioxide, acetic acid, vinyl acetate, and other unknown products may be produced during combustion.

Extinguishing media This product is a water dispersion and as such will not burn until all water has boiled away.

Residual solid and container can support combustion. Use dry chemical, carbon dioxide, water

spray, or foam.

Sensitivity to mechanical

impact

None Known

Sensitivity to static discharge None Known

Material name: G65631 MSDS 1/4

Material ID: 43351 Version #: 01 Revision date: 01-AUG-2006 Print date: 01-AUG-2006

Unusual fire & explosion
hazards

During a fire, irritating and highly toxic gases may be generated during combustion or decomposition. Vapors may be heavier than air and may travel long distances along the decomposition.

decomposition. Vapors may be heavier than air and may travel long distances along the ground before igniting back to vapor source. High temperatures can cause sealed containers to

rupture due to a buildup of internal pressures. Cool with water.

Fire fighting

equipment/instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

Flash point > 200 °F (> 93.3 °C)

6. ACCIDENTAL RELEASE MEASURES

Emergency action Appropriate safety measures and protective equipment should be used. See Section 8. Do not

discharge to lakes, streams, ponds, or sewers. Dispose of in compliance with local, state, and

federal regulations.

Containment Isolate spill area. Stop discharge if safe to do so. Stop material from contaminating soil or from

entering sewers or water streams. Cover spills with absorbant clay or sawdust and place in closed chemical waste containers. Use caution to avoid falls. Spilled adhesive is very slippery.

Reporting See Federal reporting requirements listed in Section 15. We recommend you contact local

authorities to determine if there may be other local reporting requirements.

7. HANDLING & STORAGE

For Commercial Use Only - Not Packaged or Labeled for Home Use!

Handling Wash hands thoroughly after handling, especially before eating, drinking, smoking, and using

restroom facilities. Wash contaminated goggles, face shields, and gloves. Professionally

launder contaminated clothing before re-use.

Storage Do not freeze. Store in a cool, dry, well-ventilated area away from heat, ignition sources and

direct sunlight. Water contamination should be avoided. Do not pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do not reuse empty

containers.

Empty container precaution Attention! Follow label warnings even after container is emptied since empty containers may

retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controlsUse local exhaust ventilation when vapors, mists, or dusts are being generated. Suitable

respiratory equipment should be used when insufficient ventilation or operational procedures

demand it.

Eye protection Wear goggles or safety glasses with side shields. Contact lenses should not be worn.

Skin and body protection Wear rubber boots and apron, protective clothing, and impervious gloves to minimize skin

exposure.

Respiratory protection None required where adequate ventilation conditions exist. If airborne concentrations are

above the applicable exposure limits, use NIOSH approved respiratory protection.

General Eyewash fountains and emergency showers should be readily available.

9. PHYSICAL & CHEMICAL PROPERTIES

Solubility (H2O) Disperses in Water

Freezing point 32 °F (0 °C)

Density 1 g/cc

Odor Sweet

Color Yellow to Clear

Physical state Liquid Freeze protect No

10. STABILITY & REACTIVITY

Hazardous

reactions/decomposition

products

If product is burned carbon monoxide, carbon dioxide, acetic acid, vinyl acetate, and other unknown products may be produced. Additionally, depending on conditions, some aliphatic aldehydes and carboxylic acids may be formed.

Hazardous polymerization Will not occur.

Conditions to avoid

Excessive heat over 200°C or cold under 10°C. Avoid water, amines, strong bases, alcohols and metallic hydrides.

2/4

Material name: G65631 MSDS

Material ID: 43351 Version #: 01 Revision date: 01-AUG-2006 Print date: 01-AUG-2006

Stability

11. TOXICOLOGICAL INFORMATION

Toxicological data If any toxicological data is available, it will be listed below:

LD50

Toxicology Data - Selected LD50s and LC50s

5989-27-5 Oral LD50 Rat: 4400 mg/kg; Dermal LD50 Rabbit: >2000 D-Limonene

Carcinogenicity If this product contains any carcinogens, they will be noted below:

12. ECOLOGICAL INFORMATION

Ecotoxicological information No data available for this product.

13. DISPOSAL CONSIDERATIONS

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposal

This product as supplied is not considered a hazardous waste under RCRA. This product should not be disposed of in a landfill. Do not discharge to streams, lakes, ponds, or sewers. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local, and state laws.

14. TRANSPORT INFORMATION

Department of Transportation (DOT) Requirements

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

All components are on the U.S. EPA TSCA Inventory List.

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

State regulations If this product contains any ingredients listed under California Proposition 65, they will be

noted below:

International regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and contains all the information required by the Controlled Products

Regulations.

Health: 2 **HMIS Ratings**

> Flammability: 1 Physical hazard: 0 Personal protection: X

SARA 311/312 HAZARD

CATEGORIES

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

WHMIS status Controlled

WHMIS labeling

WHMIS classification D2B - Other Toxic Effects-TOXIC

Material name: G65631 MSDS 3/4

16. OTHER INFORMATION

Disclaimer The data in this MSDS has been compiled from publicly available sources. This data relates

only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Issue date 08/01/2006
Prepared by Richard Sontag

Material name: G65631 MSDS